



Sign in to GeeksforGeeks with Google



MAHESWARAN NEDUNCHEZHIAN

nmaheswaran97@gmail.com

Continue as MAHESWARAN

File Handling in Java

Difficulty Level : Medium • Last Updated : 16 Nov, 2022

[Read](#)[Discuss](#)[Courses](#)[Practice](#)[Video](#)

In Java, with the help of File Class, we can work with files. This File Class is inside the java.io package. The File class can be used by creating an object of the class and then specifying the name of the file.

Why File Handling is Required?

- File Handling is an integral part of any programming language as file handling enables us to store the output of any particular program in a file and allows us to perform certain operations on it.
- In simple words, file handling means reading and writing data to a file.

Java

```
// Importing File Class
import java.io.File;

class GFG {
    public static void main(String[] args)
    {

        // File name specified
        File obj = new File("myfile.txt");
        System.out.println("File Created!");
    }
}
```

Output

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).

Got It !

File Created!

In Java, the concept Stream is used in order to perform I/O operations on a file. So at first, let us get acquainted with a concept known as Stream in Java.

Streams in Java

- In Java, a sequence of data is known as a stream.
- This concept is used to perform I/O operations on a file.
- There are two types of streams :

1. Input Stream:

The Java InputStream class is the superclass of all input streams. The input stream is used to read data from numerous input devices like the keyboard, network, etc.

InputStream is an abstract class, and because of this, it is not useful by itself. However, its subclasses are used to read data.

There are several subclasses of the InputStream class, which are as follows:

1. AudiInputStream
2. ByteArrayInputStream
3. FileInputStream
4. FilterInputStream
5. StringBufferInputStream
6. ObjectInputStream

Creating an InputStream

```
// Creating an InputStream
```

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).

Here, an input stream is created using `FileInputStream`.

Note: We can create an input stream from other subclasses as well as `InputStream`.

Methods of `InputStream`

S No.	Method	Description
1	<code>read()</code>	Reads one byte of data from the input stream.
2	<code>read(byte[] array)</code> <code>()</code>	Reads byte from the stream and stores that byte in the specified array.
3	<code>mark()</code>	It marks the position in the input stream until the data has been read.
4	<code>available()</code>	Returns the number of bytes available in the input stream.
5	<code>markSupported()</code>	It checks if the <code>mark()</code> method and the <code>reset()</code> method is supported in the stream.
6	<code>reset()</code>	Returns the control to the point where the mark was set inside the stream.
7	<code>skips()</code>	Skips and removes a particular number of bytes from the input stream.
8	<code>close()</code>	Closes the input stream.

2. Output Stream:

The output stream is used to write data to numerous output devices like the monitor, file, etc. `OutputStream` is an abstract superclass that represents an output stream.

`OutputStream` is an abstract class and because of this, it is not useful by itself. However, its subclasses are used to write data.

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).

1. ByteArrayOutputStream
2. FileOutputStream
3. StringBufferOutputStream
4. ObjectOutputStream
5. DataOutputStream
6. PrintStream

Creating an OutputStream

```
// Creating an OutputStream  
OutputStream obj = new FileOutputStream();
```

Here, an output stream is created using FileOutputStream.

Note: We can create an output stream from other subclasses as well as OutputStream.

Methods of OutputStream

S. No.	Method	Description
1.	write()	Writes the specified byte to the output stream.
2.	write(byte[] array)	Writes the bytes which are inside a specific array to the output stream.
3.	close()	Closes the output stream.

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).

S. No.	Method	Description
		destination.

Based on the data type, there are two types of streams :

1. Byte Stream:

This stream is used to read or write byte data. The byte stream is again subdivided into two types which are as follows:

- **Byte Input Stream:** Used to read byte data from different devices.
- **Byte Output Stream:** Used to write byte data to different devices.

2. Character Stream:

This stream is used to read or write character data. Character stream is again subdivided into 2 types which are as follows:

- **Character Input Stream:** Used to read character data from different devices.
- **Character Output Stream:** Used to write character data to different devices.

Owing to the fact that you know what a stream is, let's polish up File Handling in Java by further understanding the various methods that are useful for performing operations on the files like creating, reading, and writing files.

Java File Class Methods

The following table depicts several File Class methods:

Method Name	Description	Return Type
canRead()	It tests whether the file is readable or not.	Boolean
canWrite()	It tests whether the file is writable or not.	Boolean
createNewFile()	It creates an empty file.	Boolean
delete()	It deletes a file.	Boolean
exists()	It tests whether the file exists or not.	Boolean

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).

Method Name	Description	Return Type
<code>length()</code>	Returns the size of the file in bytes.	Long
<code>getName()</code>	Returns the name of the file.	String
<code>list()</code>	Returns an array of the files in the directory.	String[]
<code>mkdir()</code>	Creates a new directory.	Boolean
<code>getAbsolutePath()</code>	Returns the absolute pathname of the file.	String

Let us now get acquainted with the various file operations in Java.

File operations in Java

The following are the several operations that can be performed on a file in Java :

- **Create a File**
- **Read from a File**
- **Write to a File**
- **Delete a File**

Now let us study each of the above operations in detail.

1. Create a File

- In order to create a file in Java, you can use the `createNewFile()` method.
- If the file is successfully created, it will return a Boolean value `true` and `false` if the file already exists.

Following is a demonstration of how to create a file in Java :

Java

```
// Import the File class
import java.io.File;

// Import the IOException class to handle errors
import java.io.IOException;

public class GFG {
```

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).

```

try {
    File Obj = new File("myfile.txt");
    if (Obj.createNewFile()) {
        System.out.println("File created: "
            + Obj.getName());
    }
    else {
        System.out.println("File already exists.");
    }
}
catch (IOException e) {
    System.out.println("An error has occurred.");
    e.printStackTrace();
}
}
}

```

Output

An error has occurred.

2. Read from a File: We will use the Scanner class in order to read contents from a file. Following is a demonstration of how to read contents from a file in Java :

Java

```

// Import the File class
import java.io.File;

// Import this class for handling errors
import java.io.FileNotFoundException;

// Import the Scanner class to read content from text files
import java.util.Scanner;

public class GFG {
    public static void main(String[] args)
    {
        try {
            File Obj = new File("myfile.txt");
            Scanner Reader = new Scanner(Obj);
            while (Reader.hasNextLine()) {
                String data = Reader.nextLine();
                System.out.println(data);
            }
            Reader.close();
        }
        catch (FileNotFoundException e) {
            System.out.println("An error has occurred.");
            e.printStackTrace();
        }
    }
}

```

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).

Output

An error has occurred.

3. Write to a File: We use the `FileWriter` class along with its `write()` method in order to write some text to the file. Following is a demonstration of how to write text to a file in Java :

Java

```
// Import the FileWriter class
import java.io.FileWriter;

// Import the IOException class for handling errors
import java.io.IOException;

public class GFG {
    public static void main(String[] args)
    {
        try {
            FileWriter Writer
                = new FileWriter("myfile.txt");
            Writer.write(
                "Files in Java are seriously good!!");
            Writer.close();
            System.out.println("Successfully written.");
        }
        catch (IOException e) {
            System.out.println("An error has occurred.");
            e.printStackTrace();
        }
    }
}
```

Output

An error has occurred.

4. Delete a File: We use the `delete()` method in order to delete a file. Following is a demonstration of how to delete a file in Java :

Java

```
// Import the File class
import java.io.File;
```

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).


```
{
    File Obj = new File("myfile.txt");
    if (Obj.delete()) {
        System.out.println("The deleted file is : "
            + Obj.getName());
    }
    else {
        System.out.println(
            "Failed in deleting the file.");
    }
}
}
```

Output

Failed in deleting the file.

66

Related Articles

1. File handling in Java using FileWriter and FileReader

2. File Handling in Java with CRUD operations

3. Spring Boot - File Handling

4. Different Ways to Copy Content From One File to Another File in Java

5. Java Program to Read Content From One File and Write it into Another File

6. How to Convert a Kotlin Source File to a Java Source File in Android?

7. Comparison of Exception Handling in C++ and Java

8. Output of Java program | Set 12(Exception Handling)

9. Nested try blocks in Exception Handling in Java

10. Exception Handling with Method Overriding in Java

[Previous](#)

[Next](#)

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).

Article Contributed By :



shreyasnaphad

@shreyasnaphad

Vote for difficulty

Current difficulty : [Medium](#)

Easy

Normal

Medium

Hard

Expert

Improved By : [sonitmyl](#)

Article Tags : [java-file-handling](#), [Picked](#), [Java](#)

Practice Tags : [Java](#)

Improve Article

Report Issue



A-143, 9th Floor, Sovereign Corporate Tower,
Sector-136, Noida, Uttar Pradesh - 201305

feedback@geeksforgeeks.org

Company

[About Us](#)

[Careers](#)

[In Media](#)

[Contact Us](#)

[Privacy Policy](#)

[Copyright Policy](#)

[Third-Party Copyright Notices](#)

[Advertise with us](#)

Languages

[Python](#)

[Java](#)

[C++](#)

[GoLang](#)

[SQL](#)

[R Language](#)

[Android Tutorial](#)

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).

Array
String
Linked List
Stack
Queue
Tree
Graph

Sorting
Searching
Greedy
Dynamic Programming
Pattern Searching
Recursion
Backtracking

Web Development

HTML
CSS
JavaScript
Bootstrap
ReactJS
AngularJS
NodeJS

Write & Earn

Write an Article
Improve an Article
Pick Topics to Write
Write Interview Experience
Internships
Video Internship

Computer Science

GATE CS Notes
Operating Systems
Computer Network
Database Management System
Software Engineering
Digital Logic Design
Engineering Maths

Data Science & ML

Data Science With Python
Data Science For Beginner
Machine Learning Tutorial
Maths For Machine Learning
Pandas Tutorial
NumPy Tutorial
NLP Tutorial

Interview Corner

Company Preparation
Preparation for SDE
Company Interview Corner
Experienced Interview
Internship Interview
Competitive Programming
Aptitude

Python

Python Tutorial
Python Programming Examples
Django Tutorial
Python Projects
Python Tkinter
OpenCV Python Tutorial

GfG School

UPSC/SSC/BANKING

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).

CBSE Notes for Class 9

SBI PO Syllabus

CBSE Notes for Class 10

IBPS PO Syllabus

CBSE Notes for Class 11

UPSC Ethics Notes

CBSE Notes for Class 12

UPSC Economics Notes

English Grammar

UPSC History Notes

@geeksforgeeks , Some rights reserved